

Safety data sheet according to 1907/2006/EC, Article 31

F Y j " ' &

F Y j] g] c b . ' %) " S -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **DESMOR EPOXI**

1.2 Relevant identified uses of the substance or mixture and uses advised against

B c ' Z i f h \ Y f ' f Y ' Y j U b h '] b Z c f a U h] c b ' U j U] ' U V ' Y "

Application of the substance /the mixture 5 ' _ U '] b Y ' W ' Y U b Y f # ' X Y h Y f [Y b h

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

@ = H C ? C @ ' G " d " 5 "

J] U ' ; " : U ' W c b Y ž ' % ' # %

(& \$ (, ' F i V] Y f U ' f F 9 L ' ! ' = H 5 @ M

H Y ' " ' Ž ' - ' \$) & & ' * & * ' - % ' ! ' : U I " ' Ž ' - ' \$) & & ' * & \$ %) S

Further information obtainable from: @ = H C ? C @ ' G " d " 5 " ' ! ' 9 a U] ' . ' ' U V c f U h c f] c 4 '] h c _ c ' "

1.4 Emergency telephone number:

= H 5 @ M ' ! ' D C = G C B G ' 7 9 B H F 9 G ' f l & (\ ' # ' ' *) X L .

i] A] ' U b c ' ! ' 5 n] Y b X U ' C g d Y X U '] Y f U ' B] [i U f X U ' 7 U f i ' ; f U b X U ' ! ' H Y ' " ' Ž ' - ' \$) & & ' * & * ' - % ' ! ' : U I " ' Ž ' - ' \$) & & ' * & \$ %) S

i D U j] U ' ! ' 7 Y b h f c ' B U n] c b U ' Y ' X f i = b Z c f a U n] c b Y ' H c g g] W c ' c [] W U ' ! ' = F 7 7

f] U V] '] h U n] c b Y ' ! ' H Y ' " ' Ž ' - ' \$) & & ' * & * ' - % ' ! ' : U I " ' Ž ' - ' \$) & & ' * & \$ %) S

i :] f Y b n Y ' ! ' 5 n] Y b X U ' C g d Y X U '] Y f U ' I b] j Y f g] h U f] U ' ~ 7 U f Y [[] ~ ' I " C " ' H

i 6 Y f [U a c ' ! ' 5 n] Y b X U ' C g d Y X U '] Y f U ' D U d U ' ;] c j U b b] ' L L = = = ' ž ' h c g g] W c

i F c a U ' ! ' 7 5 J ' D c '] W] b] W c ' ' I a V Y f h c ' = ' ž ' D F ; A ' h c g g] W c ' c [] U ' X f i f [Y

i F c a U ' ! ' 7 5 J ' X Y ' ' D c '] W] b] W c ' ' 5 [c g h] b c ' ; Y a Y ' '] ' ž ' G Y f j] n] c ' X] ' h

i F c a U ' ! ' 7 5 J ' Í C g d Y X U ' Y ' D Y X] U h f] W c ' 6 U a V] b c ' ; Y g - Í ž ' X] d U f h] a Y b h c '

i : c [[] U ' ! ' 5 n] Y b X U ' C g d Y X U '] Y f U ' I b] j Y f g] h U f] U ' f] i b] h] ž ' : c [[] U ' !

i B U d c '] ! ' 5 n] Y b X U ' C g d Y X U '] Y f U ' 5 b h c b] c ' 7 U f X U f Y ' '] ' ž ' = = = ' G Y f j]

i J Y f c b U ' ! ' 7 5 J ' X Y ' ' f i 5 n] Y b X U ' c g d Y X U '] Y f U '] b h Y [f U h U ' f l 5 C I = L ' X] ' J Y

@ = H C ? C @ ' G " d " 5 "

H Y W b] W U ' ' g i d d c f h . ' H Y ' " ' Ž ' - ' \$) & & ' * & & ,) & ' ' f l A c b X U m ' ! ' : f] X U m . ' , "

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

9 m Y ' = f f] h " ' & < ' %- 7 U i g Y g ' g Y f] c i g ' Y m Y '] f f] h U h] c b "

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

H \ Y ' d f c X i W h '] g ' W ' U g g] Z] Y X ' U b X ' ' U V Y ' ' Y X ' U W W c f X] b [' h c ' h \ Y ' 7 @ D ' "

Hazard pictograms



GHS07

Signal word K U f b] b [

Hazard statements

< ' %- 7 U i g Y g ' g Y f] c i g ' Y m Y '] f f] h U h] c b "

Precautionary statements

D % \$ % = Z ' a Y X] W U ' ' U X j] W Y '] g ' b Y Y X Y X ž ' \ U j Y ' d f c X i W h ' W c b h U] b Y f

D % \$ & ? Y Y d ' c i h ' c Z ' f Y U W ' c Z ' W] ' X f Y b "

D & * (K U g ' \ \ U b X g ' U b X ' Z U W Y ' h \ c f c i [\ ' m ' U Z h Y f ' \ U b X '] b ["

D & , \$ K Y U f ' Y m Y ' d f c h Y W h] c b ' # ' Z U W Y ' d f c h Y W h] c b "

D ' \$) Ž D ') % Ž D ' ' , = : ' = B ' 9 M 9 G . ' F] b g Y ' W U i h] c i g ' m ' k] h \ ' k U h Y f ' Z c f ' g

Y U g m ' h c ' X c " ' 7 c b h] b i Y ' f] b g] b ["

D ' ' + Ž D ' % ' = Z ' Y m Y '] f f] h U h] c b ' d Y f g] g h g . ' ; Y h ' a Y X] W U ' ' U X j] W Y #

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Rev. 2

Revision: 15.09.2022

Trade name: **DESMOR EPOXI**

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 1344-09-8 EINECS: 215-687-4 Reg.nr.: 01-2119448725-31-XXXX	Silicic acid, sodium salt ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%
CAS: 68131-40-8 EC number: 614-295-4 Reg.nr.: 01-2119560577-29-XXXX	Alcohols, secondary C11-15, ethoxylated ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Aquatic Chronic 3, H412	≥1-<2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
 - **General information:** Immediately remove any clothing soiled by the product.
 - **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
 - **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Wash contaminated clothing before reuse.
 - **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 - **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
 - **Protective equipment:** Do not inhale explosion gases or combustion gases.
 - **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Pick up mechanically.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.

(Contd. on page 3)

EU

Safety data sheet
according to 1907/2006/EC, Article 31

Rev. 2

Revision: 15.09.2022

Trade name: **DESMOR EPOXI**

Dispose of the material collected according to regulations.

(Contd. of page 2)

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage· **7.1 Precautions for safe handling** Use only in well ventilated areas.· **Information about fire - and explosion protection:** The product is not flammable.· **7.2 Conditions for safe storage, including any incompatibilities**· **Storage:**· **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.· **Information about storage in one common storage facility:** Do not store together with acids.· **Further information about storage conditions:**

Protect from heat and direct sunlight.

Protect from frost.

Keep container tightly sealed.

· **7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection**· **8.1 Control parameters**· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs****CAS: 1344-09-8 Silicic acid, sodium salt**

Oral	DNEL / Long term exposure - Systemic effects	0.8 mg/Kg bw/d (general population)
Dermal	DNEL / Long term exposure - Systemic effects	0.8 mg/Kg bw/d (general population)
		1.59 mg/Kg bw/d (workers)
Inhalative	DNEL / Long term exposure - Systemic effects	1.38 mg/m ³ (general population)
		5.61 mg/m ³ (workers)

· **PNECs****CAS: 1344-09-8 Silicic acid, sodium salt**

PNEC / aqua	7.5 mg/l (freshwater)
	7.5 mg/l (Intermittent releases (freshwater))
	1 mg/l (marine water)
PNEC / STP	348 mg/l (sewage treatment plant)
CAS: 68131-40-8 Alcohols, secondary C11-15, ethoxylated	
PNEC / aqua	0.02 mg/l (freshwater)
	0.0153 mg/l (Intermittent releases (freshwater))
	0.00153 mg/l (Intermittent releases (marine water))
	0.002 mg/l (marine water)
PNEC / sediment	28.1 mg/Kg dw (freshwater)
	2.81 mg/Kg dw (marine water)
PNEC / soil	5.6 mg/Kg dw
PNEC / STP	8.24 mg/l (sewage treatment plant)

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Appropriate engineering controls** No further data; see item 7.· **Individual protection measures, such as personal protective equipment**· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Rev. 2

Revision: 15.09.2022

Trade name: **DESMOR EPOXI**

(Contd. of page 3)

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· **Respiratory protection:** Not necessary if room is well-ventilated.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Rubber gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Safety glasses

· **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Fluid
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	0 °C
· Boiling point or initial boiling point and boiling range	≥100 °C
· Flammability	Non-flammable mixture
· Lower and upper explosion limit	
· Lower:	Not applicable.
	Non-flammable mixture
· Upper:	Not applicable.
	Non-flammable mixture
· Flash point:	Not applicable.
· Decomposition temperature:	> 500 °C
· pH at 20 °C	10.9-11.4
· Viscosity:	
· Kinematic viscosity at 40 °C	10 mm ² /s
· Dynamic:	Not determined.
· Solubility	
· water:	Soluble.
· Partition coefficient n-octanol/water (log value)	Not applicable. The product is a mixture
· Vapour pressure:	Not determined. Aqueous solution
· Density and/or relative density	
· Density at 20 °C:	1.01-1.03 g/cm ³
· Vapour density at 20 °C	> 1 atm g/cm ³
· Relative gas density	>1 (20°C)

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Rev. 2

Revision: 15.09.2022

Trade name: **DESMOR EPOXI**

(Contd. of page 4)

· Particle characteristics	Fluid
· 9.2 Other information	
· Appearance:	
· Form:	Fluid Viscous
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	0.10 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong acids.
- **10.4 Conditions to avoid** Keep ignition sources away - Do not smoke.
- **10.5 Incompatible materials:** Reacts with acids, alkalis and oxidising agents.
- **10.6 Hazardous decomposition products:**
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **LD/LC50 values relevant for classification:**

CAS: 1344-09-8 Silicic acid, sodium salt

Oral	LD50	3,400 mg/kg (rat) (OECD TG 401: Acute Oral Toxicity)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50 / 4h	>2.06 mg/l (rat)

(Contd. on page 6)

EU

Safety data sheet
according to 1907/2006/EC, Article 31

Rev. 2

Revision: 15.09.2022

Trade name: **DESMOR EPOXI**

(Contd. of page 5)

CAS: 68131-40-8 Alcohols, secondary C11-15, ethoxylated

Oral	LD50	>2,000 mg/kg (rat) (OECD TG 423: Acute Oral toxicity - Acute Toxic Class Method)
Dermal	LD50	>2,000 mg/kg (rat) (OECD TG 402: Acute Dermal Toxicity)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

11.2 Information on other hazards· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**12.1 Toxicity**· **Aquatic toxicity:****CAS: 1344-09-8 Silicic acid, sodium salt**

EC50 / 48h	1,700 mg/l (crustacea - Daphnia magna) (OECD TG 202: Daphnia sp. Acute Immobilisation Test)
LC50 / 96h	1,108 mg/l (fish - Brachydanio rerio) (OECD TG 203: Fish, Acute Toxicity Test)
EC50 / 72h	345.4 mg/l (algae - scenedesmus subspicatus) (OECD TG 201: Alga, Growth Inhibition Test)

CAS: 68131-40-8 Alcohols, secondary C11-15, ethoxylated

EC50 / 48h	5.66 mg/l (daphnia) (OECD TG 202: Daphnia sp. Acute Immobilisation Test)
LC50 / 96h	1.53 mg/l (fish - Oncorhynchus mykiss) (OECD TG 203: Fish, Acute Toxicity Test)
EC50 / 72h	2.01 mg/l (algae - Pseudokirchneriella subcapitata)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
 - **Additional ecological information:**
 - **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**· **Recommendation**

Disposal must be made according to official regulations.
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**· **Recommendation:**

Disposal must be made according to official regulations.
 Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 7)

EU

Safety data sheet
according to 1907/2006/EC, Article 31

Rev. 2

Revision: 15.09.2022

Trade name: **DESMOR EPOXI**

(Contd. of page 6)

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Regulation (EC) No 1907/2006 (REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals)
Regulation (EC) No 1272/2008 (CLP - Classification, Labelling and Packaging of substances and mixtures)
Compilation of Safety Data Sheet: Reg.UE n. 878/2020 (amending Reg.EC n.1907/2006, Annex II)

- **REACH**

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **REGULATION (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **REGULATION (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Rev. 2

Revision: 15.09.2022

Trade name: DESMOR EPOXI

(Contd. of page 7)

· Classification according to Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

· **Version number of previous version: 1**

· **Abbreviations and acronyms:**

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Classification, Labelling and Packaging

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**